This Page is Inserted by IFW Indexing and Scanning Operations and is not part of the Official Record

BEST AVAILABLE IMAGES

Defective images within this document are accurate representations of the original documents submitted by the applicant.

Defects in the images include but are not limited to the items checked:				
☐ BLACK BORDERS				
☐ IMAGE CUT OFF AT TOP, BOTTOM OR SIDES				
☐ FADED TEXT OR DRAWING				
☐ BLURRED OR ILLEGIBLE TEXT OR DRAWING				
☐ SKEWED/SLANTED IMAGES				
☐ COLOR OR BLACK AND WHITE PHOTOGRAPHS				
☐ GRAY SCALE DOCUMENTS				
☐ LINES OR MARKS ON ORIGINAL DOCUMENT				
☐ REFERENCE(S) OR EXHIBIT(S) SUBMITTED ARE POOR QUALITY				
OTHER:				

IMAGES ARE BEST AVAILABLE COPY.

As rescanning these documents will not correct the image problems checked, please do not report these problems to the IFW Image Problem Mailbox.

L Number	Hits	Search Text	DB	Time stamp
1	0	719.310,315,316,328.ccls. and instance	USPAT;	2004/08/05
		and single near8 (media or audio or video)	US-PGPUB	14:44
2	0	719.310,315,316,328.ccls. and single	USPAT;	2004/08/05
_		near8 (media or audio or video)	US-PGPUB	14:44
3	· 69	719/310,315,316,328.ccls. and instance	USPAT;	2004/08/05
		and single near8 (media or audio or	US-PGPUB	14:46
	014510	video)		2004/00/05
4	214512	719/310,315,316,328.ccls. and pars\$3 or	USPAT;	2004/08/05
5	258	separat\$3 same (media or audio or video)	US-PGPUB USPAT:	14:45 2004/08/05
3	230	separat\$3) same (media or audio or	US-PGPUB	14:45
		video))	00 10102	
6	62	1 ' '	USPAT;	2004/08/05
		separat\$3) same (media or audio or video)	US-PGPUB	14:46
		same (single or instance))		
7	69		USPAT;	2004/08/05
		and single near8 (media or audio or	US-PGPUB;	14:47
		video)	EPO; JPO	
8	62	, , , , , , , , , , , , , , , , , , , ,	USPAT;	2004/08/05
		separat\$3) same (media or audio or video)	US-PGPUB;	14:57
0	_	same (single or instance))	EPO; JPO	2004/00/05
9	0	395/551,650,835,200.ccls.	USPAT;	2004/08/05 14:48
*		·	US-PGPUB; EPO; JPO	14:40
10	0	395.ccls.	USPAT;	2004/08/05
			US-PGPUB;	14:48
			EPO; JPO	
11	1	("5913038").PN.	USPAT	2004/08/05
				14:56
12	8	("5333299" "5388264" "5390138"	USPAT	2004/08/05
		"5487167" "5581706" "5642477"		14:53
13	8	"5712976" "5761417").PN. (US-5333299-\$ or US-5761417-\$ or	USPAT	2004/08/05
13	ľ	US-5712976-\$ or US-5642477-\$ or	ODEAL	14:55
		US-5581706-\$ or US-5487167-\$ or		111.00
		US-5390138-\$ or US-5388264-\$).did.		
14	2551	709/201,231.ccls.	USPAT;	2004/08/05
			US-PGPUB;	14:57
3.5	176	700/001 001 7	EPO; JPO	2004/00/05
15	176		USPAT;	2004/08/05
		separat\$3) same (media or audio or video) same (single or instance))	US-PGPUB; EPO; JPO	14:57
16	15	1	USPAT;	2004/08/05
		same (media or audio or video) same	US-PGPUB;	14:57
		(single or instance))	EPO; JPO	
17	17	381/119.ccls. and ((pars\$3 or separat\$3)	USPAT;	2004/08/05
		same (media or audio or video) same	US-PGPUB;	14:57
1.0	_	(single or instance))	EPO; JPO	2004/00/05
18	0	707/104,104.ccls. and ((pars\$3 or separat\$3) same (media or audio or video)	USPAT; US-PGPUB;	2004/08/05 14:58
		same (single or instance))	EPO; JPO	1.50
19	10	713/400.ccls. and ((pars\$3 or separat\$3)	USPAT;	2004/08/05
]	same (media or audio or video) same	US-PGPUB;	14:58
7		(single or instance))	EPO; JPO	
20	12815	filter and ((pars\$3 or separat\$3) same	USPAT;	2004/08/05
		(media or audio or video) same (single or	US-PGPUB;	14:58
	0.010	instance))	EPO; JPO	2004/09/05
21	2610	filter same ((pars\$3 or separat\$3) same (media or audio or video) same (single or	USPAT; US-PGPUB;	2004/08/05 14:59
		(media or audio or video) same (single of instance))	EPO; JPO	17.37
22	280	filter same ((pars\$3 or separat\$3) same	USPAT;	2004/08/05
	233	(media or audio or video) same (single or	US-PGPUB;	15:00
		instance)) and project	EPO; JPO	
23	32	filter same ((pars\$3 or separat\$3) same	USPAT;	2004/08/05
		(media or audio or video) same (single or	US-PGPUB;	15:00
		instance)) and (project near8 (media or	EPO; JPO	
_	141	multimedia)) filter adj graph	USPAT;	2004/08/05
	141	TITUEL auj graph	US-PGPUB	14:42
	L	1	·	

=	75	(filter adj graph) and audio\$5 and video\$5	USPAT; US-PGPUB	2003/12/07 13:04
-	23	((filter adj graph) and audio\$5 and	USPAT;	2003/12/07
_	19		US-PGPUB USPAT;	13:04 2003/12/07
_	17	video\$5) and project) and engine ((((filter adj graph) and audio\$5 and	US-PGPUB USPAT;	13:04 2003/12/07
	,	video\$5) and project) and engine) and pars\$5	US-PGPUB	13:14
	1	("6611215").PN.	USPAT	2003/12/07 13:14
-	454	(audio and video and (pars\$5 or filter\$3) and (engine or render\$5)) and (pars\$ same video same audio)	USPAT; US-PGPUB	2003/12/07 13:23
-	20	((audio and video and (pars\$5 or filter\$3) and (engine or render\$5)) and (pars\$ same video same audio)) and	USPAT; US-PGPUB	2003/12/07 14:08
_	654	(filter\$5 near5 chain\$5) filter and pars\$5 and video and audio and	USPAT	2003/12/07
_	14	(engine or render\$3) (filter and pars\$5 and video and audio	USPAT	14:12 2003/12/07
-		and (engine or render\$3)) and (pars\$5 same filter same audio same video)		15:33
_	9	5913038.URPN.	USPAT	2003/12/07 14:19
-	33	pars\$3 same filter\$3 same video same audio	USPAT	2003/12/09 14:38
-	1	("5913038").PN.	USPAT	2003/12/31 20:30
-	28	pars\$3 near2 audio near2 video	USPAT	2004/01/06 20:44
	7	(pars\$3 near2 audio near2 video) and filter\$3	USPAT	2004/01/06 20:43
_	0	"14" and (pars\$3 near2 audio near2 video)	USPAT	2004/01/06 20:44
-	60	split\$3 near2 audio near2 video	USPAT	2004/04/04 17:45
-	1544	audio and video and engine and edit\$3	USPAT	2004/01/06 21:02
_	762	(audio and video and engine and edit\$3) and filter\$3	USPAT	2004/01/06 21:02
_	117	((audio and video and engine and edit\$3) and filter\$3) and render\$3 and seek\$3	USPAT	2004/01/06 21:03
	13	<pre>(((audio and video and engine and edit\$3) and filter\$3) and render\$3 and seek\$3) and ((pars\$3 or split\$3) near5 (audio or video))</pre>	USPAT	2004/01/06 21:11
-	51	media adj processing adj system	USPAT	2004/01/06 21:12
-	0	((media adj processing adj system) not microsoft) and (pars\$3 near2 audio near2 video)	USPAT	2004/01/06 21:12
_	43	(media adj processing adj system) not	USPAT	2004/01/06 21:13
-	579	((multi adj media) or multimedia) near	USPAT	2004/01/06 21:13
-	1	1 •	USPAT	2004/04/04 18:56
_	1	731491.ap.	US-PGPUB	2004/04/04 17:45
_	1	731560.ap.	US-PGPUB	2004/04/04 17:45
_	4	media near8 project near8 matrix	USPAT	2004/04/04 18:58
-	1416	filter near3 graph	USPAT	2004/04/04 18:58
-	1	filter near3 graph near5 matrix	USPAT	2004/04/04 19:13
-	. 8	("5327227" "5400187" "5913038" "6396421" "6411225" "6462682"	USPAT	2004/04/04 18:58
		"6512468" "6518894").PN.		10.00

-	11	5913038.URPN.	USPAT	2004/04/04 19:03
_	28675	matrix and filter and media and source	USPAT	2004/04/04 19:14
-	14059	(matrix and filter and media and source)	USPAT	2004/04/04 19:14
-	92	((matrix and filter and media and source) and chain) and (media near8 source) and (matrix near8 filter)	USPAT	2004/04/04 19:15
_	3	(((matrix and filter and media and source) and chain) and (media near8 source) and (matrix near8 filter)) and	USPAT	2004/04/04 19:16
-	133	project minimiz\$3 near8 (media or audio or video) near8 source	USPAT	2004/04/04 19:16
	42	minimiz\$3 near8 (media or audio or video) near8 source and filter	USPAT	2004/04/04 19:17
-	9	minimiz\$3 near8 (media or audio or video) near8 source and filter and (single near2 source)	USPAT	2004/04/04
-	178	minimiz\$3 near8 source near8 filter	USPAT	2004/04/04 19:18
_	3	minimiz\$3 near8 source near8 filter same media	USPAT	2004/04/04 19:19
-	1		USPAT	2004/04/04 19:22
-	1	("6205492").PN.	USPAT	2004/04/04
-	6	"6212574"	USPAT	2004/04/04
_	1	6212574.pn.	USPAT	2004/04/04
_	1	("6389483").PN.	USPAT	2004/04/04
_	24	("6671742").PN. media near8 project same filter	USPAT USPAT	2004/04/04 19:29 2004/04/04
	4	(media near8 project same filter) and	USPAT	19:30
_	44	(single near5 source) media near8 project same filter	USPAT; US-PGPUB;	19:30 2004/04/04 19:30
-	4	(media near8 project same filter) and (single near5 source)	EPO; JPO USPAT	2004/04/04 19:31
_	4	'	USPAT	2004/04/04 19:31
_	351	media near8 project	USPAT	2004/04/04
	145	media near8 project and filter	USPAT	2004/04/04 20:19
-	14	media near8 project near8 filter	USPAT	2004/04/04 20:19
-	2	filter	USPAT	2004/04/04 20:20
_	1312	single near8 (audio or video) near8 source	USPAT; US-PGPUB; EPO; JPO	2004/04/04 20:25
-	2	single near8 (audio or video) near8 source near8 pars\$3	USPAT; US-PGPUB; EPO; JPO	2004/04/04 20:26
-	11	single near8 (audio or video) near8 instance near8 source	USPAT; US-PGPUB; EPO; JPO	2004/04/04 20:31
_	9	MPEG near8 instance near8 source	USPAT; US-PGPUB; EPO; JPO	2004/04/04 20:33
-	7	MPEG near8 source near8 pars\$3	USPAT; US-PGPUB; EPO; JPO	2004/04/04 21:20

_	833287	minimiz\$3 or reduc\$3 near8 source near8	USPAT;	2004/04/04
		instances near8 object	US-PGPUB;	21:21
			EPO; JPO	
-	4	(minimiz\$3 or reduc\$3) near8 source near8	USPAT;	2004/04/04
		instances near8 object	US-PGPUB;	21:21
		1,,,,,,	EPO; JPO	0004/04/04
-	329	(minimiz\$3 or reduc\$3) near8 instances	USPAT;	2004/04/04
		near8 object	US-PGPUB;	21:21
		4	EPO; JPO	2004/04/04
-	90	(minimiz\$3 or reduc\$3) near8 instances	USPAT;	2004/04/04
		near8 object and (audio or video)	US-PGPUB;	21:21
	47	(minimiz\$3 or reduc\$3) near8 instances	EPO; JPO USPAT;	2004/04/04
-	47	near8 object and (audio or video) and	US-PGPUB;	21:22
		filter	EPO; JPO	21.22
_	5	(minimiz\$3 or reduc\$3) near8 instances	USPAT;	2004/04/04
		near8 object and ((audio or video) same	US-PGPUB;	21:25
	ļ	filter)	EPO; JPO	21.23
_	16956		USPAT;	2004/04/04
	1	(1110424 02 44420 02 12400) 110420 11402211	US-PGPUB;	21:25
			EPO; JPO	
-	7204	(media or audio or video) near8 matrix	USPAT;	2004/04/04
		and filter	US-PGPUB;	21:25
			EPO; JPO	
_	4711	(media or audio or video) near8 matrix	USPAT;	2004/04/04
1		and filter and object	US-PGPUB;	21:26
		-	EPO; JPO	
-	155	(media or audio or video) near8 matrix	USPAT;	2004/04/04
1		and filter and object and MPEG	US-PGPUB;	21:26
			EPO; JPO	*
-	4	(media or audio or video) near8 matrix	USPAT;	2004/04/04
		near8 filter and object and MPEG	US-PGPUB;	21:56
			EPO; JPO	
-	458	multimedia near8 instance	USPAT;	2004/04/04
		•	US-PGPUB;	21:57
	,	11.	EPO; JPO	2004/04/04
-	1	multimedia near8 instance near8 (minimi\$5	USPAT;	2004/04/04
		or reduc\$5)	US-PGPUB;	22:00
1_	21	multimedia near8 instance near8 object	EPO; JPO USPAT;	2004/04/04
	21	multimedia hears instance hears object	US-PGPUB;	22:00
			EPO; JPO	22.00
_	0	multimedia near8 instance near8 object	USPAT;	2004/04/04
1		near8 (minimi\$5 or reduc\$5)	US-PGPUB;	22:01
			EPO; JPO	
_	5	multimedia near8 switch\$3 near8 matrix	USPAT;	2004/04/04
1			US-PGPUB;	22:06
			EPO; JPO	
-	31	minimiz\$5 near5 object near5 instance	USPAT;	2004/04/04
			US-PGPUB;	22:24
'			EPO; JPO	
-	6	multimedia near8 source near8 instance	USPAT;	2004/04/04
			US-PGPUB;	22:25
			EPO; JPO	0004/01/01
-	216	multimedia near8 source near8 process\$3	USPAT;	2004/04/04
			US-PGPUB;	22:25
	1		EPO; JPO	2004/04/04
-	33	multimedia near8 source near8 multiplex\$3	USPAT;	2004/04/04
	1		US-PGPUB; EPO; JPO	22:26
	0	multimedia near8 source near8 (de adj	USPAT;	2004/04/04
		multiplex\$3)	US-PGPUB;	22:26
		marerbrevas;	EPO; JPO	22.20
_	5	multimedia near8 source near8	USPAT;	2004/04/04
		(demultiplex\$3)	US-PGPUB;	22:27
		(Tomat of proxy o)	EPO; JPO	
_	10	multimedia near8 source near8 pars\$3	USPAT;	2004/04/04
		Paragraph and Paragraph and Paragraph	US-PGPUB;	23:36
			EPO; JPO	
-	10200	filter near8 multiplex\$5	USPAT;	2004/04/04
		•	US-PGPUB;	23:39
			EPO; JPO	
	·	<u> </u>	L	L

_	8	filter near8 multiplex\$5 near8 graph	USPAT; 2004/04	/04
			US-PGPUB; 23:42	
			EPO; JPO	
-	115	filter near8 multiplex\$5 near8 object	USPAT; 2004/04	/04
			US-PGPUB; 23:42	
			EPO; JPO	
-	254	filter near8 multiplex\$5 near8 (audio or	USPAT; 2004/04	/04
		video)	US-PGPUB; 23:42	
			EPO; JPO	
-	1	filter near8 multiplex\$5 near8 (audio or	USPAT; 2004/04	/04
		video) same pin	US-PGPUB; 23:43	
			EPO; JPO	



Subscribe (Full Service) Register (Limited Service, Free) Login

Search:

The ACM Digital Library

The Guide

US Patent & Trademark Office

multimedia parse filter instance

THE ACM DIGITAL LIBRAR

Feedback Report a problem Satisfaction survey

Terms used multimedia parse filter instance

Found 16,352 of 139,988

Sort results by

relevance

Save results to a Binder 3 Search Tips

Try an Advanced Search Try this search in The ACM Guide

Display results

expanded form

Open results in a new window

Results 1 - 20 of 200

Result page: 1 2 3 4 5 6 7 8 9 10

next Relevance scale

Best 200 shown

1 Multimedia description framework (MDF) for content description of audio/video



documents Michael J. Hu, Ye Jian

August 1999 Proceedings of the fourth ACM conference on Digital libraries

Full text available: ndf(206.64 KB) Additional Information: full citation, references, index terms

Keywords: content description, media search and retrieval, meta-data

Papers: mmdump: a tool for monitoring internet multimedia traffic Jacobus van der Merwe, Ramón Cáceres, Yang-hua Chu, Cormac Sreenan October 2000 ACM SIGCOMM Computer Communication Review, Volume 30 Issue 5



Full text available: pdf(1.14 MB)

Additional Information: full citation, abstract, references, citings

Internet multimedia traffic is increasing as applications like streaming media and packet telephony grow in popularity. It is important to monitor the volume and characteristics of this traffic, particularly because its behavior in the face of network congestion differs from that of the currently dominant TCP traffic. To monitor traffic on a high-speed link for extended periods, it is not practical to blindly capture all packets that traverse the link. We present mmdump, a tool that parse ...

Automatic presentation of multimedia documents using relational grammars L. Weitzman, Kent Wittenburg



October 1994 Proceedings of the second ACM international conference on Multimedia

Full text available: pdf(966.47 KB)

Additional Information: full citation, abstract, references, citings, index

This paper describes an approach to the automatic presentation of multimedia documents based on parsing and syntax-directed translation using Relational Grammars. This translation is followed by a constraint solving mechanism to create the final layout. Grammatical rules provide the mechanism for mapping from a representation of the content of a presentation to forms that specify the media objects to be realized. These realization forms include sets of spatial and temporal constraints betwe ...

4 Using local optimality criteria for efficient information retrieval with redundant information filters



Neil C. Rowe

April 1996 ACM Transactions on Information Systems (TOIS), Volume 14 Issue 2

Full text available: pdf(2.21 MB)

Additional Information: full citation, abstract, references, index terms

We consider information retrieval when the data—for instance, multimedia—is computationally expensive to fetch. Our approach uses "information filters" to considerably narrow the universe of possibilities before retrieval. We are especially interested in redundant information filters that save time over more general but more costly filters. Efficient retrieval requires that decisions must be made about the necessity, order, and concurrent processing of proposed filte ...

Keywords: Boolean algebra, conjunction, filters, natural language, optimization, queries

Model-driven development of Web applications: the AutoWeb system Piero Fraternali, Paolo Paolini

October 2000 ACM Transactions on Information Systems (TOIS), Volume 18 Issue 4

Full text available: pdf(6.94 MB)

Additional Information: <u>full citation</u>, <u>abstract</u>, <u>references</u>, <u>citings</u>, <u>index</u> terms

This paper describes a methodology for the development of WWW applications and a tool environment specifically tailored for the methodology. The methodology and the development environment are based upon models and techniques already used in the hypermedia, information systems, and software engineering fields, adapted and blended in an original mix. The foundation of the proposal is the conceptual design of WWW applications, using HDM-lite, a notation for the specification of structure, nav ...

Keywords: HTML, WWW, application, development, intranet, modeling

6 XIRQL: An XML query language based on information retrieval concepts Norbert Fuhr, Kai Groβjohann April 2004 ACM Transactions on Information Systems (TOIS), Volume 22 Issue 2

Full text available: pdf(281.91 KB)

Additional Information: <u>full citation</u>, <u>abstract</u>, <u>references</u>, <u>citings</u>, <u>index</u> <u>terms</u>

XIRQL ("circle") is an XML query language that incorporates imprecision and vagueness for both structural and content-oriented query conditions. The corresponding uncertainty is handled by a consistent probabilistic model. The core features of XIRQL are (1) document ranking based on index term weighting, (2) specificity-oriented search for retrieving the most relevant parts of documents, (3) datatypes with vague predicates for dealing with specific types of content and (4) structural vagueness f ...

Keywords: Path algebra, XML, XQuery, probabilistic retrieval, ranked retrieval, vague predicates

7 Fast detection of communication patterns in distributed executions Thomas Kunz, Michiel F. H. Seuren

November 1997 Proceedings of the 1997 conference of the Centre for Advanced Studies on Collaborative research

Full text available: pdf(4.21 MB)

Additional Information: full citation, abstract, references, index terms

Understanding distributed applications is a tedious and difficult task. Visualizations based on process-time diagrams are often used to obtain a better understanding of the execution of the application. The visualization tool we use is Poet, an event tracer developed at the University of Waterloo. However, these diagrams are often very complex and do not provide the user with the desired overview of the application. In our experience, such tools display repeated occurrences of non-trivial commun ...

Path sharing and predicate evaluation for high-performance XML filtering Yanlei Diao, Mehmet Altinel, Michael J. Franklin, Hao Zhang, Peter Fischer



December 2003 ACM Transactions on Database Systems (TODS), Volume 28 Issue 4

Full-text available: 📆 pdf(543,40 KB) Additional Information: full citation, abstract, references, index terms

XML filtering systems aim to provide fast, on-the-fly matching of XML-encoded data to large numbers of query specifications containing constraints on both structure and content. It is now well accepted that approaches using event-based parsing and Finite State Machines (FSMs) can provide the basis for highly scalable structure-oriented XML filtering systems. The XFilter system [Altinel and Franklin 2000] was the first published FSM-based XML filtering approach. XFilter used a separate FSM per pa ...

Keywords: Nondeterministic Finite Automaton, XML filtering, content-based matching, nested path expressions., path sharing, predicate evaluation, structure matching

9 Video parsing, retrieval and <u>browsing</u>: an integrated and content-based solution H. J. Zhang, C. Y. Low, S. W. Smoliar, J. H. Wu January 1995 Proceedings of the third ACM international conference on Multimedia

Full text available: 4 htm(51.17 KB) Additional Information: full citation, references, citings, index terms

Keywords: database, multimedia, video browsing, video indexing, video parsing, video retrieval

10 A multi-paradigm guerying approach for a generic multimedia database management system



Ji-Rong Wen, Qing Li, Wei-Ying Ma, Hong-Jiang Zhang March 2003 ACM SIGMOD Record, Volume 32 Issue 1

Full text available: pdf(524.08 KB) Additional Information: full citation, abstract, references

To truly meet the requirements of multimedia database (MMDB) management, an integrated framework for modeling, managing and retrieving various kinds of media data in a uniform way is necessary. MediaLand is an experimental MMDB platform being developed at Microsoft Research Asia for users with different levels of experiences and expertise to manage and search multimedia repositories easily, efficiently, and cooperatively. Key features of MediaLand include a uniform data model for describi ...

Keywords: media independence, multi-paradigm querying, multimedia database management, uniform data modeling

11 Network support for mobile multimedia using a self-adaptive distributed proxy Zhuoqing Morley Mao, Hoi-sheung Wilson So, Byunghoon Kang January 2001 Proceedings of the 11th international workshop on Network and operating systems support for digital audio and video



Full text available: 📆 pdf(212.65 KB) Additional Information: full citation, abstract, references, index terms

Recent advancements in video and audio codec technologies~(e.g., RealV ideo [18] make multimedia streaming possible across a wide range of network conditions. With an increasing trend of ubiquitous connectivity, more and more areas have overlapping coverage of multiple wired and wireless networks. Because the best network service changes as the user moves, to provide good multimedia application performance, the service needs to adapt to user movement as well as network and computational res ...

12 Applications: Wide-area information access to multimedia historical sources Tim Mills, Ken Moodv



September 1996 Proceedings of the 7th workshop on ACM SIGOPS European workshop; Systems support for worldwide applications

Full text available: 📆 pdf(713.74 KB) Additional Information: full citation, abstract, references

An object-oriented model has been developed for heterogeneous multimedia data; this model underlies Cobra, a content-based retrieval architecture, which allows quick construction of powerful tools for wide area information access. The system is to be evaluated through case studies, the first of which is a search engine for historical records.

13 Flavor: a language for media representation

Alexandros Eleftheriadis

November 1997 Proceedings of the fifth ACM international conference on Multimedia

Full text available: pdf(1.35 MB)

Additional Information: full citation, references, citings, index terms

14 Natural-language retrieval of images based on descriptive captions Eugene J. Gualielmo, Neil C. Rowe

July 1996 ACM Transactions on Information Systems (TOIS), Volume 14 Issue 3

Full text available: pdf(572.05 KB)

Additional Information: full citation, abstract, references, citings, index terms, review

We describe a prototype intelligent information retrieval system that uses natural-language understanding to efficiently locate captioned data. Multimedia data generally require captions to explain their features and significance. Such descriptive captions often rely on long nominal compounds (strings of consecutive nouns) which create problems of disambiguating word sence. In our system, captions and user queries are parsed and interpreted to produce a logical form using a detailed theory ...

Keywords: captions, multimedia database, type hierarchy

15 Poster: Overview of natural language processing of captions for retrieving multimedia data

Eugene J. Guglielmo, Neil C. Rowe

March 1992 Proceedings of the third conference on Applied natural language processing

Full text available: pdf(221.27 KB) Publisher Site

Additional Information: full citation, abstract, references

This paper briefly describes the current implementation status of an intelligent information retrieval system, MARIE, that employs natural language processing techniques. Descriptive captions are used to identify photographic images concerning various military projects. The captions are parsed to produce a logical form from which nouns and verbs are extracted to form the primary keywords. User queries are also specified in natural language. A twophase search process employing coarse-grain and f ...

16 CLUES: dynamic personalized message filtering

Matthew Marx, Chris Schmandt

November 1996 Proceedings of the 1996 ACM conference on Computer supported cooperative work

Full text available: pdf(907.89 KB) Additional Information: full citation, references, citings, index terms

Keywords: electronic mail, filtering, messaging, personal information management, voice mail

17 Evaluating HyTime: an examination and implementation experience John F. Buford



March 1996 Proceedings of the the seventh ACM conference on Hypertext

Full text available: pdf(1.15 MB)

Additional Information: full citation, references, citings, index terms

Keywords: HyTime, hypermedia models, hypermedia standards

18 An analysis of XML database solutions for the management of MPEG-7 media descriptions



Utz Westermann, Wolfgang Klas

December 2003 ACM Computing Surveys (CSUR), Volume 35 Issue 4

Full text available: pdf(448.76 KB) Additional Information: full citation, abstract, references, index terms

MPEG-7 constitutes a promising standard for the description of multimedia content. It can be expected that a lot of applications based on MPEG-7 media descriptions will be set up in the near future. Therefore, means for the adequate management of large amounts of MPEG-7-compliant media descriptions are certainly desirable. Essentially, MPEG-7 media descriptions are XML documents following media description schemes defined with a variant of XML Schema. Thus, it is reasonable to investigate curren ...

Keywords: MPEG-7, XML database systems, multimedia databases

19 Automatic generation of intelligent diagram editors



September 2003 ACM Transactions on Computer-Human Interaction (TOCHI), Volume 10 Issue 3

Full text available: pdf(1.43 MB)

Additional Information: full citation, abstract, references, index terms

The *intelligent diagram* is a recent metaphor for diagramming in which the underlying graphic editor parses the diagram as it is being constructed, performing error correction and collecting geometric constraints that capture the relationships between diagram components. During diagram manipulation a constraint solver uses these geometric constraints to maintain the diagram's semantics. We introduce the Penguins system. This automates the development of graphical editors that support the i ...

Keywords: Constraint multi-set grammars, constraint solving, diagram interaction, diagram parsing, intelligent diagram, pen-based computing

20 Graph-based code selection techniques for embedded processors October 2000 ACM Transactions on Design Automation of Electronic Systems (TODAES), Volume 5 Issue 4



Full text available: pdf(356.83 KB)

Additional Information: <u>full citation</u>, <u>abstract</u>, <u>references</u>, <u>index terms</u>, <u>review</u>

Code selection is an important task in code generation for programmable processors, where the goal is to find an efficient mapping of machine-independent intermediate code to processor-specific machine instructions. Traditional approaches to code selection are based on tree parsing which enables fast and optimal code selection for intermediate code given as a set of data-flow trees. While this approach is generally useful in compilers for general-purpose processors, it may lead to poor code ...

Keywords: SIMD instructions, code selection, data-flow graphs, embedded processors, irregular data paths

Results 1 - 20 of 200

Result page: 1 2 3 4 5 6 7 8 9 10 next

The ACM Portal is published by the Association for Computing Machinery. Copyright © 2004 ACM, Inc.

<u>Terms of Usage Privacy Policy Code of Ethics Contact Us</u>

Useful downloads: Adobe Acrobat QuickTime Windows Media Player Real Player

ieee home | Searchieee | Shop | Web account | Contact ieee

[Abstract]



Publications/Services Standards Conferences Careers/Jobs Membership IEEE Xolo. 1 Million Doc Welcome 1 Million User United States Patent and Trademark Office **Quick Links** » Search Res FAQ Terms IEEE Peer Review Welcome to ELE Xplore* Your search matched 1 of 1058483 documents. ()- Home A maximum of 500 results are displayed, 15 to a page, sorted by Relevance in - What Can Descending order. I Access? Cr Log-out Refine This Search: You may refine your search by editing the current search expression or entering a Tables of Contents new one in the text box. Journals Search multimedia<and>parse<and>instance & Magazines Check to search within this result set **)-** Conference **Proceedings Results Key:** Standards JNL = Journal or Magazine CNF = Conference STD = Standard Search O- By Author 1 Broadcast news parsing using visual cues: a robust face detection)- Basic Avrithis, Y.; Tsapatsoulis, N.; Kollias, S.; **)**- Advanced Multimedia and Expo, 2000. ICME 2000. 2000 IEEE International Conference Member Services on , Volume: 3 , 30 July-2 Aug. 2000 Pages:1469 - 1472 vol.3 O- Join IEEE - Establish IEEE

O- Access the IEEE Member Digital Library

Access the IEEE Enterprise File Cabinet

Web Account

Print Format

Home | Log-out | Journals | Conference Proceedings | Standards | Search by Author | Basic Search | Advanced Search | Join IEEE | Web Account | New this week | OPAC Linking Information | Your Feedback | Technical Support | Email Alerting | No Robots Please | Release Notes | IEEE Online Publications | Help FAQ Terms | Back to Top

[PDF Full-Text (396 KB)]

IEEE CNF

Copyright © 2004 IEEE - All rights reserved

h eee g e ch e ch e e eee

c e

e

IEEE HOME | SEARCH IEEE | SHOP | WEB ACCOUNT | CONTACT IEEE



Membership Publications/Services Standards Conferences Careers/Jobs

Welcome United States Patent and Trademark Office



FAQ Terms IEEE Peer Review

Quick Links

» Search Res

Vercome to EEE Xolore?

- ()~ Home
- }~ What Can I Access?
- O-Log-out

Tables of Contents

- Journals & Magazines
- **)** Conference **Proceedings**
- Standards

Search

- O- By Author
- O-Basic
- O- Advanced

Member Services

- () Join IEEE
- ()- Establish IEEE Web Account
- Access the IFFF Mamber Digital Library

- **()** Access lite **IEEE Enterprise** File Cabinet
- Rint Format

Your search matched 49 of 1058483 documents.

A maximum of 500 results are displayed, 15 to a page, sorted by Relevance in Descending order.

Refine This Search:

You may refine your search by editing the current search expression or entering a new one in the text box.

multimedia<and>parse

Search

Check to search within this result set

Results Key:

JNL = Journal or Magazine **CNF** = Conference **STD** = Standard

1 Broadcast news parsing using visual cues: a robust face detection approach

Avrithis, Y.; Tsapatsoulis, N.; Kollias, S.;

Multimedia and Expo, 2000. ICME 2000. 2000 IEEE International Conference

on , Volume: 3 , 30 July-2 Aug. 2000

Pages:1469 - 1472 vol.3

[Abstract] [PDF Full-Text (396 KB)] **IEEE CNF**

2 Compression of SMIL documents

Chia-Yuan Teng;

Data Compression Conference, 2000. Proceedings. DCC 2000, 28-30 March 2000 Pages:572

[Abstract] [PDF Full-Text (8 KB)] **IEEE CNF**

3 Audio-visual content analysis for content-based video indexing

Tsekeridou, S.; Pitas, I.;

Multimedia Computing and Systems, 1999. IEEE International Conference

on, Volume: 1, 7-11 June 1999

Pages:667 - 672 vol.1

[Abstract] [PDF Full-Text (564 KB)] **IEEE CNF**

4 Automatic parsing of TV soccer programs

Yihong Gong; Lim Teck Sin; Chua Hock Chuan; Hongjiang Zhang; Masao Sakauchi; Multimedia Computing and Systems, 1995., Proceedings of the International Conference on , 15-18 May 1995

Pages:167 - 174

[Abstract] [PDF Full-Text (1052 KB)] **IEEE CNF**

5 Automatic parsing of news video

h eee e eee gecheche e с е e c е HongJiang Zhang; Yihong Gong; Smoliar, S.W.; Shuang Yeo Tan; Multimedia Computing and Systems, 1994., Proceedings of the International Conference on , 15-19 May 1994 Pages: 45 - 54

[Abstract] [PDF Full-Text (1028 KB)] IEEE CNF

6 Multimedia data parsing and reassembling for the zCAS (Collaborativeworks Assistant System) under group environments

Choi, J.W.; Kim, J.Y.; Hwang, C.J.;

Information, Communications and Signal Processing, 1997. ICICS., Proceedings of 1997 International Conference on , Volume: 3 , 9-12 Sept. 1997 Pages:1663 - 1667 vol.3

[Abstract] [PDF Full-Text (648 KB)] IEEE CNF

7 MD 2 L: content description of multimedia documents for efficient process and search/retrieval

Hu, M.J.; Ye Jian;

Research and Technology Advances in Digital Libraries, 1999. ADL '99.

Proceedings. IEEE Forum on , 19-21 May 1999

Pages:200 - 213

[Abstract] [PDF Full-Text (188 KB)] IEEE CNF

8 Video PARIC (PArsing and Retrieval based on Image Contents)-an approach for video information retrieval system

Jae Yeon Lee; Se-Yoon Jeong; Kyu Heon Kim; Byung Tae Chun; Bae, J.J.; TENCON 99. Proceedings of the IEEE Region 10 Conference, Volume: 2, 15-17 Sept. 1999

Pages:954 - 957 vol.2

[Abstract] [PDF Full-Text (456 KB)] IEEE CNF

9 A spoken language interface to interactive multimedia services

Kaneen, E.; Wyard, P.;

Advances in Interactive Voice Technologies for Telecommunication Services (Digest No: 1997/147), IEE Colloquium on , 12 June 1997

Pages:8/1 - 8/7

[Abstract] [PDF Full-Text (584 KB)] IEE CNF

$_{ m 10}$ Wipe scene change detector for use with video compression algorithms and MPEG-7

Alattar, A.M.;

Consumer Electronics, IEEE Transactions on , Volume: 44 , Issue: 1 , Feb. 1998 Pages: 43 - 51

[Abstract] [PDF Full-Text (660 KB)] IEEE JNL

11 HMM based structuring of tennis videos using visual and audio cues Kijak, E.; Gravier, G.; Gros, P.; Oisel, L.; Bimbot, F.;

Multimedia and Expo, 2003. ICME '03. Proceedings. 2003 International Conference on , Volume: 3 , 6-9 July 2003

Pages: III - 309-12 vol. 3

ес

e

[Abstract] [PDF Full-Text (358 KB)] IEEE CNF

$_{12}$ Automated threshold selection for the detection of dissolves in MPEG video

Boccignone, G.; De Santo, M.; Percannella, G.;

Multimedia and Expo, 2000. ICME 2000. 2000 IEEE International Conference

on , Volume: 3 , 30 July-2 Aug. 2000

Pages:1535 - 1538 vol.3

[Abstract] [PDF Full-Text (508 KB)] IEEE CNF

13 Animated interactive fiction: Storytelling by a conversational virtual actor

Piesk, J.; Trogemann, G.;

Virtual Systems and MultiMedia, 1997. VSMM '97. Proceedings., International Conference on , 10-12 Sept. 1997

Pages: 100 - 108

[Abstract] [PDF Full-Text (820 KB)] IEEE CNF

14 A graph-theoretical clustering based anchorperson shot detection for news video indexing

Gao Xinbo; Li Jie; Yang Bing;

Computational Intelligence and Multimedia Applications, 2003. ICCIMA 2003.

Proceedings. Fifth International Conference on , 27-30 Sept. 2003

Pages:108 - 113

[Abstract] [PDF Full-Text (519 KB)] IEEE CNF

15 Semi-structured portable library for multiprocessor servers

Tsilikas, G.; Fleury, M.;

Parallel and Distributed Processing Symposium, 2003. Proceedings.

International, 22-26 April 2003

Pages:6 pp.

[Abstract] [PDF Full-Text (873 KB)] IEEE CNF

1 2 3 4 Next

hioms | Log-out | Journals | Conference Proceedings | Standards | Search by Author | Sasic Search | Advanced Search | Join IEEE | Web Account | New this week | OPAC Linking Information | Your Feedback | Technical Support | Email Alerting | No Robots Please | Release Notes | IEEE Online Publications | Help | FAQ| Terms | Back to Top

Copyright © 2004 IEEE — All rights reserved

e

eee



Neb <u>Images</u> <u>Groups</u> <u>News</u> <u>Froogle</u> <u>more</u> »

multimedia parse project instance

Search
Preferences

Web

Results 1 - 10 of about 9,370 for multimedia parse project instance. (0.22 seconds)

Multimedia Information Retrieval Project

... began as a research **project**, which quickly ... by the following steps: **Parse** the query. ... search_engine_tips/search_engine_work.html

Multimedia Information Retrieval ...

www.redbrick.dcu.ie/~jem/MMIS-essay.html - 24k - Cached - Similar pages

[DOC] Multimedia Information Retrieval CA437 Project

File Format: Microsoft Word 2000 - View as HTML

Multimedia Information Retrieval CA437 Project. ... search engines provide the ability to parse HTML tags ... Google quickly began as a research project, which quickly ... www.redbrick.dcu.ie/~jem/ Multimedia%20Information%20Retrieval%20CA437%20Project.doc - Similar pages

[More results from www.redbrick.dcu.ie]

The Code Project - ID3 Tag Reader Using Shell Functions - C# ...

- ... the extra columns are centered around multimedia files such ... 10); mp3File.TrackNumber
- = Int32.Parse(folder.GetDetailsOf ... Advertise on The Code Project | Privacy. ...

www.thecodeproject.com/csharp/ShellID3TagReader.asp - 37k - Cached - Similar pages

DOD Project: Multi-Layer Induction

... Project Summary: This project plans to design a new ... Structure for Hierarchical Summarization", Multimedia Systems, accepted ... are applied to parse video sequences ... www.cs.uvm.edu/research/dod/index.shtml - 18k - Cached - Similar pages

Database management support for a news-on-demand application*

... instance is fetched from the multimedia database. ... to the Instance Generator as a parse tree instead ... This project addresses the development of data management ... db.uwaterloo.ca/~ddbms/publications/ multimedia/DISIMAPapers/IEEE/IEEENewsletter.html - 19k - Cached - Similar pages

[PS] A Framework for Multimedia Database Systems

File Format: Adobe PostScript - <u>View as Text</u>
... an area often overlooked in <u>multimedia</u> DBMS projects. ... Instance Generator traverses the <u>parse</u> tree and ... Experience The DISIMA research <u>project</u> deals specifically ... db.uwaterloo.ca/~ddbms/publications/ <u>multimedia/DISIMAPapers/framework.ps - Similar pages</u>
[<u>More results from db.uwaterloo.ca</u>]

Class project: Role of XML in path construction

... and mature tools exist to help **parse** the XML ... **Project** implementation: The overall design of the path ... For example, for **multimedia** applications, latency is a ... www.cs.berkeley.edu/~zmao/cs294-3/ - 23k - <u>Cached</u> - <u>Similar pages</u>

[PDF] Bitstream Syntax Description Language

File Format: PDF/Adobe Acrobat - View as HTML

... Need of a software to parse and edit ... XML Description of a Multimedia Bitstream • Not an ... performing XML transformation (from Apache project) Cocoon XMLtoBin ... www2002.org/presentations/amielh.pdf - Similar pages

Precise and Efficient Retrieval of Captioned Images: The MARIE ...

... captions is a significant problem with book-like **multimedia** data (as ... and the class of all nouns (ie the **parse**-rule frequency ... **project** evaluation, concept-concept. ... www.nps.navy.mil/Content/CS/ncrowe/marie/libtrends.html - 57k - <u>Cached</u> - <u>Similar pages</u>

[РРТ] Project Overview

File Format: Microsoft Powerpoint 97 - View as HTML www.cijug.org/presentation/XMLIntro.ppt - Similar pages

Goooooooogle ▶

Result Page:

1 2 3 4 5 6 7 8 9 10

Next

Free! Get the Google Toolbar. Download Now - About Toolbar

685 Search Web ▼ 149 Princips blocked 205 News 75 AutoFill 89

multimedia parse project instance Search

Search within results | Language Tools | Search Tips | Dissatisfied? Help us improve

Google Home - Advertising Programs - Business Solutions - About Google

©2004 Google

h